



Certificate of Accreditation

International Accreditation Japan (IAJapan) hereby accredits the following conformity assessment body as a testing laboratory of ASNITE accreditation program.

Accreditation Identification: ASNITE 0116 Testing

Name of Conformity Assessment Body: Tokyo Head Office, Ibaraki Laboratory and Tokyo Laboratory, Tokyo Technical Service Co., Ltd.

Name of Legal Entity: Tokyo Technical Service Co., Ltd.

Location of Conformity Assessment Body: (Tokyo Head Office) 8-20-20, Nishikasai, Edogawa-ku, Tokyo 134-0088, Japan
(Ibaraki Laboratory) 1183-1, Hashimukou, Inashiki-shi, Ibaraki 300-0745, Japan
(Tokyo Laboratory) 7-29-17, Nishikasai, Edogawa-ku, Tokyo 134-0088, Japan

Scope of Accreditation: As the following pages

Accreditation Requirement: ISO/IEC 17025:2017*

* The relevant accreditation requirements described in the Accreditation Scheme Document for ASNITE-T (E) are also applied.

Effective Date of Accreditation: 2024-03-05

Expiry Date of Accreditation: 2028-03-04

Date of Initial Accreditation: 2014-05-14

SAITO Kazunori

Chief Executive, International Accreditation Japan (IAJapan)

National Institute of Technology and Evaluation

-
- International Accreditation Japan (IAJapan) is a laboratory accreditation body which has signed MRAs of ILAC (International Laboratory Accreditation Cooperation) and APAC (Asia Pacific Accreditation Cooperation).
 - MRA requirements are, in addition to relevant international standards and guides, requirements for participation in proficiency testing programs, surveillance and reassessment, and the policy for the traceability of measurement for MRA purpose.
 - This laboratory fulfills ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This accreditation means this laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).
 - The latest accreditation information is publicly available on IAJapan Website as an accreditation certificate.

Name of Laboratory: Tokyo Head Office, Tokyo Technical Service Co., Ltd.
 Address of Laboratory: 8-20-20, Nishikasai, Edogawa-ku, Tokyo 134-0088, Japan
 Work to carry out: Sampling of Dioxins and top water, Reporting of results

Name of Laboratory: Ibaraki Laboratory, Tokyo Technical Service Co., Ltd.
 Address of Laboratory: 1183-1, Hashimukou, Inashiki-shi, Ibaraki 300-0745, Japan
 Work to carry out: Sampling of Dioxins, Sample storage, Analytical test, Ensuring of validity of results

Accreditation Scope			Testing Items	Test Methods	Effective Date of Accreditation
Category	Sub-Category	Measurement Techniques			
Environment	Air	GC/MS	Dioxins and Dioxin-like PCBs/Exhaust Gas (include sampling)	PMO Ordinance No. 67:1999 JIS K 0311	2024-03-05
			Dioxins and Dioxin-like PCBs/Environmental Air (include sampling)	Manual on Determination of Dioxins in Ambient Air (MOE, 2022)	2024-03-05
			Dioxins and Dioxin-like PCBs/Air in Working Environment (include sampling)	MHLW Labour Standards Bureau Notification No. 401-2, Attachment, Annex 1 Manual on Determination of Dioxins in Ambient Air (MOE, 2022)	2024-03-05
	Water	GC/MS	Dioxins and Dioxin-like PCBs/Industrial Water and Waste Water (include sampling)	PMO Ordinance No. 67:1999 JIS K 0311	2024-03-05
			Dioxins and Dioxin-like PCBs/Environment Water (include sampling)	EA Notification No. 68:1999 JIS K 0312	2024-03-05
			Dioxins and Dioxin-like PCBs/Treated Water, Raw Water for Water Supply (include sampling)	Testing Manual on Dioxins in Raw Water for Water supply and Treated Water (Revised Edition) (MHLW, 2007)	2024-03-05
			Dioxins and Dioxin-like PCBs/Sediment (include sampling)	Manual for Survey and Measurement of Dioxins in Sediment (MOE, 2022)	2024-03-05
			Dioxins and Dioxin-like PCBs/Soil (include sampling)	Manual for Survey and Measurement of Dioxins in Soil (MOE: 2022)	2024-03-05
	Soil	GC/MS	Dioxins and Dioxin-like PCBs/Soil (include sampling)	Manual for Survey and Measurement of Dioxins in Soil (MOE: 2022)	2024-03-05
	Waste	GC/MS	Dioxins and Dioxin-like PCBs/Fly Ash, Incineration Ash, Incineration Residue and Sludge (include sampling)	MHW Notification No. 192:1992 EA Notification No. 80:2004	2024-03-05

[NOTE]

PMO: Prime Minister's Office

MOE: Ministry of the Environment

MHLW: Ministry of Health, Labour and Welfare

EA: Environment Agency

MHW: Ministry of Health and Welfare

Name of Laboratory: Tokyo Laboratory, Tokyo Technical Service Co., Ltd.
Address of Laboratory: 7-29-17, Nishikasai, Edogawa-ku, Tokyo 134-0088, Japan
Work to carry out: Sampling of top water, Sample storage, Analytical test, Ensuring of validity of results

Accreditation Scope			Testing Items	Test Methods	Effective Date of Accreditation
Category	Sub-Category	Measurement Techniques			
Chemical Products	Water	ICP/MS	Cd and Cd compounds/ Water Source, Raw Water, Treated Water, Tap Water (include sampling)	MHLW Notification No. 261: 2003 (Revised to MHLW Notification No. 85:2023) Appended Table 6	2024-03-05
			Se and Se compounds/ Water Source, Raw Water, Treated Water, Tap Water (include sampling)	MHLW Notification No. 261: 2003 (Revised to MHLW Notification No. 85:2023) Appended Table 6	2024-03-05
			Pb and Pb compounds/ Water Source, Raw Water, Treated Water, Tap Water (include sampling)	MHLW Notification No. 261: 2003 (Revised to MHLW Notification No. 85:2023) Appended Table 6	2024-03-05
			As and As compounds/ Water Source, Raw Water, Treated Water, Tap Water (include sampling)	MHLW Notification No. 261: 2003 (Revised to MHLW Notification No. 85:2023) Appended Table 6	2024-03-05
			Cr(VI) compounds/ Water Source, Raw Water, Treated Water, Tap Water (include sampling)	MHLW Notification No. 261: 2003 (Revised to MHLW Notification No. 85:2023) Appended Table 6	2024-03-05
			B and B compounds/ Water Source, Raw Water, Treated Water, Tap Water (include sampling)	MHLW Notification No. 261: 2003 (Revised to MHLW Notification No. 85:2023) Appended Table 6	2024-03-05
			Zn and Zn compounds/ Water Source, Raw Water, Treated Water, Tap Water (include sampling)	MHLW Notification No. 261: 2003 (Revised to MHLW Notification No. 85:2023) Appended Table 6	2024-03-05
			Al and Al compounds/ Water Source, Raw Water, Treated Water, Tap Water (include sampling)	MHLW Notification No. 261: 2003 (Revised to MHLW Notification No. 85:2023) Appended Table 6	2024-03-05
			Fe and Fe compounds/ Water Source, Raw Water, Treated Water, Tap Water (include sampling)	MHLW Notification No. 261: 2003 (Revised to MHLW Notification No. 85:2023) Appended Table 6	2024-03-05
			Cu and Cu compounds/ Water Source, Raw Water, Treated Water, Tap Water (include sampling)	MHLW Notification No. 261: 2003 (Revised to MHLW Notification No. 85:2023) Appended Table 6	2024-03-05
			Mn and Mn compounds/ Water Source, Raw Water, Treated Water, Tap Water (include sampling)	MHLW Notification No. 261: 2003 (Revised to MHLW Notification No. 85:2023) Appended Table 6	2024-03-05

[NOTE]

MHLW: Ministry of Health, Labour and Welfare

(End of Attachment)